EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	201	(712/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/20 21:17
L2	1035	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/20 21:18
L3	338	(711/138).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/20 21:18
L4	558	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/20 21:18
L5	252	(708/209).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/20 21:18
S1	2	(("5761469") or ("6412061")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/19 17:26
S2	762	(bypass or skip or ("not" near4 (execut$3 or process$3 or do$3 or perform$3))) near4 align$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:30
S3	762	(bypass or skip or ("not" adj1 (execut$3 or process$3 or do$3 or perform$3))) near4 align$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:30
S4	762	(bypass or skip) near4 align$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:30
S5	976	(bypass$3 or skip$4) near4 align$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:31
S6	3	(bypass$3 or skip$4) near4 (data adj1 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:35

S7	20	(bypass$3 or skip$4) with (data adj1 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:35
S8	49	(bypass$3 or skip$4) same (data adj1 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 08:46
S9	258	(bypass$3 or skip$4) same (data near4 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 08:46
S10	38	(bypass$3 or skip$4) near4 (data near4 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 09:59
S11	109	(bypass$3 or skip$4) with (data near4 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:00
S12	55	(bypass$3 or skip$4) with (data near2 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:01
S13	181	(712/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/06 10:39
S14	735	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/06 10:39
S15	263	(711/138).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/06 10:39
S16	184	(712/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 08:02
S17	799	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 08:02
S18	280	(711/138).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 08:02

S19	482	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:27
S20	186	(712/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:25
S21	295	(711/138).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:25
S22	239	(708/209).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:27
S23	323	S19 and (bypass$3 or skip$4 or feedback$3 or ignor$3 or jump$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:29
S24	260	S19 and (align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:50
S25	260	S19 and (align$4 or (sign adj1 extend$4) or shift$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:29
S26	128	S19 and (align$4 or (sign adj1 extend$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:29
S27	125	S19 and (align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:29
S28	105	S23 and (align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:49
S29	9	S19 and ((bypass$3 or skip$4 or feedback$3 or ignor$3 or jump$3) near4 align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:45
S30	18	S19 and ((bypass$3 or skip$4 or feedback$3 or ignor$3 or jump$3) with align$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:45

S31	62	S21 and (align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:54
S32	16778	(align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) near4 (bypass$3 or skip$4 or feedback$3 ignor$3 or jump$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:03
S33	14055	(align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) near4 (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:54
S34	2404	(align$4 or (sign adj1 exten$5)) near4 (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:55
S35	1058	(align$4 or (sign adj1 exten$5)) near4 (bypass$3 or skip$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:55
S36	1055	(align$4) near4 (bypass$3 or skip$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:56
S37	6	(data adj1 align$4) near4 (bypass$3 or skip$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:55
S38	423	(alignment) near4 (bypass$3 or skip$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:56
S39	309	(alignment) near4 (bypass$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 17:09
S40	6	((alignment) near4 (bypass$3)) and (S19 or S20 or S21 or S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 14:56
S41	77	(align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) near4 (bypass$3 or skip$4 or feedback$3 or ignor$3 or jump$3) and (S19 or S20 or S21 or S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:04

EAST Search History

S42	77	((align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) near4 (bypass$3 or skip$4 or feedback$3 or ignor$3 or jump$3)) and (S19 or S20 or S21 or S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:53
S43	1	(data adj1 cache$1) near4 (align$5) near4 (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:29
S44	7	(data adj1 cache$1) with (align$5) with (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:30
S45	27	((data adj1 cache$1) near4 (align$5)) same (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:55
S46	0	(align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) near4 ("not" near4 (need$3 or necessary or us$3 or done)) and (S19 or S20 or S21 or S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:55
S47	0	(align$4 or (sign adj1 extend$4) or (zero adj1 extend$4) or shift$3) with ("not" near4 (need$3 or necessary or us$3 or done)) and (S19 or S20 or S21 or S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 15:55
S48	29	((data adj1 cache$1) near4 (align$5 or (zero adj1 exten$5) or (sign adj1 exten$5) or shift$3)) same (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 16:03
S49	44	((data adj1 cache$1) with (align$5 or (zero adj1 exten$5) or (sign adj1 exten$5) or shift$3)) same (bypass$3 or skip$4 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 16:05
S50	0	(data adj1 cach$4) near4 (align$3 or (sign adj1 exten$5)) near4 (register adj1 fil$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 16:06
S51	5	(data adj1 cach$4) near4 (align$3 or (sign adj1 exten$5)) near4 (register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 16:09
S52	0	(data adj1 cach$4) near4 ((sign adj1 exten$5)) near4 (register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 16:09

S53	20	(data adj1 cach$4) with (align$3 or (sign adj1 exten$5)) with (register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 17:09
S54	172465	(align$ or exten$) and (bypass$ or skip$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 17:10
S55	2773	(align$ or exten$) and (bypass$ or skip$)	EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 17:10
S56	2284	(align$ or exten$) and (bypass$)	EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 17:11
S57	1783	(align$ or exten$) and (bypass$)	JPO; IBM_TDB	OR	OFF	2005/09/21 17:11
S58	226	(align$ or exten$) and (bypass$)	IBM_TDB	OR	OFF	2005/09/21 17:11
S59	76	(align$ or ((sign or zero) and exten$)) and (bypass$)	IBM_TDB	OR	OFF	2006/06/14 15:50
S60	5638	((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) near4 (device$1 or element$1 or operat$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:00
S61	968	(((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) near4 (device$1 or element$1 or. operat$4)) and processor$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:00
S62	31	(((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) near4 (device$1 or element$1 or operat$4)) near4 processor$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:01
S63	15	(((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) near4 (device$1 or element$1 or operat$4)) near4 ((speed or throughput) near4 (increase or max$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:03
S64	28	((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) near4 ((speed or throughput) near4 (increase or max$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:12
S65	70	((bypass$3 or skip$4) near4 (switch$4 or circuit$1)) with ((speed or throughput) near4 (increase or max$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:12
S66	0	(Redmond).in. and (analog).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:34

EAST Search History

S67	68	(analog).as. and bypass$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:37
S68	5	(analog).as. and (bypass$3 and chain$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:37
S69	2	(analog).as. and (bypass$3 with chain$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:37
S70	0	(analog).as. and (bypass$3 with speed)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:38
S71	2	(analog).as. and (bypass$3 same speed)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:40
S72	9	(analog).as. and (bypass$3 with switch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 08:41
S73	2072	bypass$3 same (latenc$4 or delay$3) same (reduc$3 or eliminat$3 or minimiz$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:54
S74	7683	(bypass$3 or forward$3) same (latenc$4 or delay$3) same (reduc$3 or eliminat$3 or minimiz$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:54
S75	419	(bypass$3 or forward$3) near4 (latenc$4 or delay$3) near4 (reduc$3 or eliminat$3 or minimiz$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:54
S76	252	(bypass$3 or forward$3) near4 (latenc$4 or delay$3) near4 (reduc$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:55
S77	7	(bypass$3 or forward$3) near4 (latenc$4 or delay$3) near4 (reduc$3) near4 (cach$3 or memor$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:55
S78	82	(bypass$3) near4 (latenc$4 or delay$3) near4 (reduc$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 10:55

S79	194	(712/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 12:19
S80	956	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 12:19
S81	328	(711/138).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 12:19
S82	526	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 12:20
S83	246	(708/209).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 12:20
S84	120	(align$ or ((sign or zero) and exten$)) near4 (bypass$ or select$3 or request$3 or enabl$3 or activat$3 or mod$2)	IBM_TDB	OR	OFF	2006/06/14 15:51
S85	53	(align$ or ((sign or zero) and exten$)) near4 (enabl$3 or activat$3 or mod$2)	IBM_TDB	OR	OFF	2006/06/14 15:51
S86	5	cache near4 (alignment or ((sign or zero) and extension$1)) near4 (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 15:56
S87	12	(cache near4 (alignment or ((sign or zero) and extension$1))) with (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 16:51
S88	2004	(data with (alignment or ((sign or zero) and extension$1))) with (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 15:59
S89	483	(data near4 (alignment or ((sign or zero) and extension$1))) near4 (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:29

S90	62	(data near4 (((sign or zero) and extension$1))) near4 (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 16:21
S91	1	("6,112,297").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 16:21
S92	57	(cache with (alignment or ((sign or zero) and extension$1))) with (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:10
S93	5	("4287561" | "4814976" | "5557763" | "5577200" | "5802556").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/14 16:51
S94	2219	((sign or zero) and extension$1) with (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:10
S95	235	((sign or zero) near4 extension$1) with (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:11
S96	115	((sign or zero) near4 extension$1) near4 (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:11
S97	91	((sign or zero) near4 extension$1) near4 (de?activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:14
S98	0	((sign or zero) near4 extension$1) near4 (de?activat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:13
S99	93	((sign or zero) adj1 extension$1) near4 (enabl$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:14

EAST Search History

S10 0	16	((sign or zero) adj1 extension$1) near4 (enabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:14
S10 1	446	(data near4 (alignment or ((sign or zero) adj1 extension$1))) near4 (enabl$3 or activat$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:31
S10 2	431	(data near4 (alignment or ((sign or zero) adj1 extension$1))) near4 (enabl$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:31
S10 3	0	((data adj1 cache$1) near4 (alignment or ((sign or zero) adj1 extension$1))) near4 (enabl$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:32
S10 4	0	((data near4 cache$1) near4 (alignment or ((sign or zero) adj1 extension$1))) near4 (enabl$3 or mod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:32
S10 5	0	((data near4 cache$1) near4 (alignment or ((sign or zero) adj1 extension$1))) near4 (enabl$3 or mod$2 or activat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:32
S10 6	10	((data near4 cache$1) with (alignment or ((sign or zero) adj1 extension$1))) with (enabl$3 or mod$2 or activat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:33
S10 7	23	(data near4 cache$1) same ((alignment or ((sign or zero) adj1 extension$1)) with (enabl$3 or mod$2 or activat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:33
S10 8	29	(bypass$3 or skip$4) with (data adj1 (align$4 or sign))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/14 17:39
S10 9	28	(bypass$3 or skip$4) with (data adj1 (align$4 or (sign near4 extend$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/15 14:23

S11 0	145	(bypass$3 or skip$4) with (data near4 (align$4 or (sign near4 extend$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/15 14:23
S11 1	154	((sign or zero) near4 exten$4) near4 (disabl$3 or halt$3 or stop$5 or prevent$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/19 17:29
S11 2	13	((sign or zero) near4 exten$4) near4 (disabl$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/19 17:29